



*Innovative Solutions for Industry
and the Environment*
chemical solvents, inc.

March 1, 2012

Mr. Robert G. Heiss
USEPA
International Enforcement and Compliance Assurance Division
Mail Code 2254A
1200 Pennsylvania Avenue, NW
Washington, DC 20460

Dear Mr. Heiss:

I am pleased to submit the following annual report for the exportation of hazardous waste for the following facility:

**Chemical Solvents, Incorporated
1010 Denison Road
Cleveland, Ohio 44109
EPA ID: OHD980897656**

The calendar year covered by the attached report is:


2011

The consignees reflected in this report are:


**Stablex Canada, Inc.
760 Industrial Boulevard
Blainville, QU, Canada, J7C 3V4**



CHEMICAL SALES • SOLVENT RECLAIMING
SPECIALITY BLENDING • PARTS WASHER SERVICES




3751 Jennings Road • Cleveland, Ohio 44109 • (216) 741-9310 • Fax: (216) 741-4080 • Toll Free (800) 362-0693



FROM:
CHRIS SNIDER
(216) 741-9310
CHEMICAL SOLVENTS, INC
1010 DENISON ROAD
CLEVELAND OH 44109

LTR 1 OF 1

FOR UPS SHIPPING ONLY



MD 201 9-80



UPS NEXT DAY AIR

TRACKING #: 1Z 545 495 01 6102 7773

1



BILLING: P/P

WS 14.0.21 HP Color Laser 24 0A 01/2012

Apply shipping documents on this s

Do not use this envelope for:

UPS Ground
UPS Standard
UPS 3 Day Select®
UPS Worldwide Expedited™

SHIP TO:

ROBERT G HEISS
US EPA
1200 PENNSYLVANIA AVENUE, NW
WASHINGTON DC 20460

Scott

7240

Because CSI is a TSDF, an overwhelming majority of the waste exported by CSI is generated by other facilities. Therefore, there is no plan to reduce the amount of hazardous waste exported by Chemical Solvents, Inc.

Generator Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

Executed on 7 March, 2012



Signature

Chris A. Rander, Analytical Manager

Consignee:

FC0000000045
NYD980756415

Stablex Canada, Inc.
760 Industrial Boulevard
Blainville QU J7C3V4

450-430-9230

Hazardous Waste Description:

SF SOLIDS, RAGS AND DEBRIS

Quantity Shipped in 2009: **10175** UOM: **P** Density: **1.00**

EPA waste codes:

D001	D002	D004	D005	D006	D007
D008	D009	D010	D011	D018	D019
D022	D026	F004	D035	D039	D040
F001	F002	F003	F005	U223	U239

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
1/12/2011	P 2800	FC0000000072 NYF006000053 UN3244	Rollex Transport Ltd. WASTE SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S, 8
1/12/2011	P 800	FC0000000072 NYF006000053 UN3260	Rollex Transport Ltd. WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S, 8
5/17/2011	P 3600	FC0000000072 NYF006000053 UN3244	Rollex Transport Ltd. WASTE SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S, 8

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
5/17/2011	P 410	FC0000000072 NYF006000053 UN3260	Rollex Transport Ltd. WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S, 8
5/17/2011	P 165	FC0000000072 NYF006000053 UN3288	Rollex Transport Ltd. WASTE TOXIC SOLIDS, INORGANIC, N.O.S.,6.1
10/20/2011	P 800	FC0000000072 NYF006000053 UN3260	Rollex Transport Ltd. WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S, 8
10/20/2011	P 1600	FC0000000072 NYF006000053 UN3288	Rollex Transport Ltd. WASTE TOXIC SOLIDS, INORGANIC, N.O.S.,6.1

Consignee:

FC0000000045
NYD980756415

Stablex Canada, Inc.
760 Industrial Boulevard
Blainville QU J7C3V4

450-430-9230

Hazardous Waste Description:

SO SOLID OXIDIZERS

Quantity Shipped in 2009: **11660** UOM: **P** Density: **1.00**

EPA waste codes:

D001 D011 D007 D002

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
1/12/2011	P 405	FC0000000072 NYF006000053 UN1479	Rollex Transport Ltd. WASTE OXIDIZING SUBSTANCES, SOLID, N.O.S., 5.1
1/12/2011	P 550	FC0000000072 NYF006000053 UN1498	Rollex Transport Ltd. WASTE SODIUM NITRATE, 5.1
1/12/2011	P 50	FC0000000072 NYF006000053 UN3098	Rollex Transport Ltd. Waste Oxidizing Liquid, Corrosive N.O.S., 5.1.
1/12/2011	P 550	FC0000000072 NYF006000053 UN3139	Rollex Transport Ltd. Waste Oxidizing Solid, Corrosive N.O.S.

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
5/17/2011	P 625	FC0000000072 NYF006000053 UN1479	Rollex Transport Ltd. WASTE OXIDIZING SUBSTANCES, SOLID, N.O.S., 5.1
5/17/2011	P 50	FC0000000072 NYF006000053 UN3093	Rollex Transport Ltd. Waste Corrosive Liquid, Oxidizing, N.O.S., 8
5/17/2011	P 2250	FC0000000072 NYF006000053 UN3098	Rollex Transport Ltd. Waste Oxidizing Liquid, Corrosive N.O.S., 5.1.
7/13/2011	P 100	FC0000000072 NYF006000053 UN3093	Rollex Transport Ltd. Waste Corrosive Liquid, Oxidizing, N.O.S., 8
10/20/2011	P 3230	FC0000000072 NYF006000053 UN1479	Rollex Transport Ltd. WASTE OXIDIZING SUBSTANCES, SOLID, N.O.S., 5.1
10/20/2011	P 550	FC0000000072 NYF006000053 UN3093	Rollex Transport Ltd. Waste Corrosive Liquid, Oxidizing, N.O.S., 8
10/20/2011	P 550	FC0000000072 NYF006000053 UN3098	Rollex Transport Ltd. Waste Oxidizing Liquid, Corrosive N.O.S., 5.1.
10/20/2011	P 2750	FC0000000072 NYF006000053 UN3139	Rollex Transport Ltd. Waste Oxidizing Solid, Corrosive N.O.S.

Consignee:

FC0000000045
NYD980756415

Stablex Canada, Inc.
760 Industrial Boulevard
Blainville QU J7C3V4

450-430-9230

Hazardous Waste Description:

WAC USED OR OFFSPEC ACIDS / CAUSTICS

Quantity Shipped in 2009: **111662** UOM: **P** Density: **1.00**

EPA waste codes:

D008 D002 D010 D006 D007

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
1/12/2011	P 1100	FC0000000072 NYF006000053 UN1755	Rollex Transport Ltd. Waste Chromic Acid, Solution, 8,
1/12/2011	P 1100	FC0000000072 NYF006000053 UN1789	Rollex Transport Ltd. Waste Hydrochloric Acid, 8
1/12/2011	P 1650	FC0000000072 NYF006000053 UN1805	Rollex Transport Ltd. Waste Phosphoric Acid, 8
1/12/2011	P 1700	FC0000000072 NYF006000053 UN1830	Rollex Transport Ltd. Waste Sulfuric Acid, 8

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
1/12/2011	P 1200	FC0000000072 NYF006000053 UN3262	Rollex Transport Ltd. WASTE CORROSIVE SOLID, BASIC, INORGANIC, N.O.S., 8
1/12/2011	P 15400	FC0000000072 NYF006000053 UN3264	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8
5/17/2011	P 2750	FC0000000072 NYF006000053 UN1755	Rollex Transport Ltd. Waste Chromic Acid, Solution, 8,
5/17/2011	P 7950	FC0000000072 NYF006000053 UN1789	Rollex Transport Ltd. Waste Hydrochloric Acid, 8
5/17/2011	P 1110	FC0000000072 NYF006000053 UN1805	Rollex Transport Ltd. Waste Phosphoric Acid, 8
5/17/2011	P 800	FC0000000072 NYF006000053 UN1823	Rollex Transport Ltd. Waste Sodium Hydroxide, Solid, 8
5/17/2011	P 2200	FC0000000072 NYF006000053 UN1830	Rollex Transport Ltd. Waste Sulfuric Acid, 8
5/17/2011	P 600	FC0000000072 NYF006000053 UN2031	Rollex Transport Ltd. Waste Nitric Acid, 8
5/17/2011	P 17200	FC0000000072 NYF006000053 UN3264	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., 8
7/13/2011	P 550	FC0000000072 NYF006000053 UN1755	Rollex Transport Ltd. Waste Chromic Acid, Solution, 8,
7/13/2011	P 12100	FC0000000072 NYF006000053 UN1789	Rollex Transport Ltd. Waste Hydrochloric Acid, 8
7/13/2011	P 3300	FC0000000072 NYF006000053 UN1805	Rollex Transport Ltd. Waste Phosphoric Acid, 8
7/13/2011	P 100	FC0000000072 NYF006000053 UN1830	Rollex Transport Ltd. Waste Sulfuric Acid, 8

Date	Quantity Unit	Transporter UN #	Transporter Name US DOT Proper Shipping Name & Hazard Class
7/13/2011	P 1702	FC0000000072 NYF006000053 UN3260	Rollex Transport Ltd. WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S, 8
7/13/2011	P 14950	FC0000000072 NYF006000053 UN3264	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S, 8
7/13/2011	P 3850	FC0000000072 NYF006000053 UN3266	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S, 8
10/20/2011	P 1100	FC0000000072 NYF006000053 UN1755	Rollex Transport Ltd. Waste Chromic Acid, Solution, 8,
10/20/2011	P 750	FC0000000072 NYF006000053 UN1789	Rollex Transport Ltd. Waste Hydrochloric Acid, 8
10/20/2011	P 1650	FC0000000072 NYF006000053 UN1805	Rollex Transport Ltd. Waste Phosphoric Acid, 8
10/20/2011	P 6600	FC0000000072 NYF006000053 UN1824	Rollex Transport Ltd. Waste Sodium Hydroxide, Solution, 8
10/20/2011	P 1650	FC0000000072 NYF006000053 UN1830	Rollex Transport Ltd. Waste Sulfuric Acid, 8
10/20/2011	P 6650	FC0000000072 NYF006000053 UN3264	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S, 8
10/20/2011	P 1950	FC0000000072 NYF006000053 UN3266	Rollex Transport Ltd. WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S, 8

SUMMARY SHEET

FC0000000045 Stablex Canada, Inc.

UN#	NUMBER OF SHIPMENTS	TOTAL SHIPPED	UNIT
UN1479	3.00	4,260.00	P
UN1498	1.00	550.00	P
UN1755	4.00	5,500.00	P
UN1789	4.00	21,900.00	P
UN1805	4.00	7,710.00	P
UN1823	1.00	800.00	P
UN1824	1.00	6,600.00	P
UN1830	4.00	5,650.00	P
UN2031	1.00	600.00	P
UN3093	3.00	700.00	P
UN3098	3.00	2,850.00	P
UN3139	2.00	3,300.00	P
UN3244	2.00	6,400.00	P
UN3260	4.00	3,712.00	P
UN3262	1.00	1,200.00	P
UN3264	4.00	54,200.00	P
UN3266	2.00	5,800.00	P
UN3288	2.00	1,765.00	P

DATE	MANIFEST_#
1/12/2011	005829137JJK
5/17/2011	005829246JJK
7/13/2011	005829292JJK
10/20/2011	005829386JJK



**UNITED STATES ENVIRONMENTAL
PROTECTION AGENCY
WASHINGTON, D.C. 20460**

OFFICE OF
ENFORCEMENT AND COMPLIANCE
ASSURANCE

May 3, 2011

CHRIS RANDER
CHEMICAL SOLVENTS, INC.
1010 DENISON AVE.,
CLEVELAND, OH US 44109
OHD980897656

Re: Foreign Notice ID:
EPA Notice ID: 001889/2E/11

Dear CHRIS RANDER:

This is to acknowledge receipt of your notice, which was received by EPA on February 2, 2011, of intent to export hazardous waste to Canada as required by Title 40, Code of Federal Regulations, Part 262, Subpart E, Section 262.53 promulgated pursuant to the Resource Conservation and Recovery Act (RCRA). In accordance with the U.S.-Canada Bilateral Agreement on the Transboundary Movement of Hazardous Waste, the U.S. Environmental Protection Agency (EPA) forwarded your notice to the Government of Canada and Canada has no objection to your shipment(s) of hazardous waste.

This letter constitutes the EPA Acknowledgment of Consent for the export of the following hazardous waste as specified in your notice:

Waste Stream 1: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA Waste Code:

DOT Shipping Name: Hazardous waste, solid, n.o.s., Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077, UN3077

Total Volume to be Exported: 2000 US Tons - (2,000 pounds)

Estimated Frequency: 140 loads Annually

DOT I.D. No. NA3077,UN3077

Total Volume to be Exported: 2000 US Tons - (2,000 pounds)

Estimated Frequency: 140 loads Annually

Waste Stream 7: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

EPA Waste Code:

DOT Shipping Name: Hazardous waste, solid, n.o.s.,Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077,UN3077

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 8: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA Waste Code:

DOT Shipping Name: Hazardous waste, solid, n.o.s.,Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077,UN3077

Total Volume to be Exported: 2000 US Tons - (2,000 pounds)

Estimated Frequency: 140 loads Annually

Waste Stream 9: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

EPA Waste Code:

DOT Shipping Name: Hazardous waste, solid, n.o.s.,Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. NA3077,UN3077

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 10: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL

EPA Waste Code:

DOT Shipping Name: Hazardous waste, liquid, n.o.s.,Environmentally hazardous substances, solid, n.o.s.

DOT Hazard Class:

DOT I.D. No. NA3082,UN3077

Total Volume to be Exported: 2000 US Tons - (2,000 pounds)

Estimated Frequency: 140 loads Annually

Waste Stream 11: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 2000 US Tons - (2,000 pounds)
Estimated Frequency: 140 loads Annually

Waste Stream 17: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID
EPA Waste Code:
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 18: CONTAMINATED SOIL

Waste Description: CONTAMINATED SOIL
EPA Waste Code:
DOT Shipping Name: Environmentally hazardous substances, solid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 2000 US Tons - (2,000 pounds)
Estimated Frequency: 140 loads Annually

Waste Stream 19: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID
EPA Waste Code:
DOT Shipping Name: Hazardous waste, liquid, n.o.s., Environmentally hazardous substances, liquid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3082, UN3082
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 20: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID
EPA Waste Code:
DOT Shipping Name: Hazardous waste, liquid, n.o.s., Environmentally hazardous substances, liquid, n.o.s.
DOT Hazard Class: 9
DOT I.D. No. NA3082, UN3082
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 21: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

Estimated Frequency: 40 loads Annually

Waste Stream 26: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. UN3082

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 27: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Environmentally hazardous substances, liquid, n.o.s.

DOT Hazard Class: 9

DOT I.D. No. UN3082

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 28: CHROMIC ACID SOLID

Waste Description: CHROMIC ACID SOLID

EPA Waste Code:

DOT Shipping Name: Chromium trioxide, anhydrous

DOT Hazard Class: 5.1

DOT I.D. No. UN1463

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 29: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID

EPA Waste Code:

DOT Shipping Name: Oxidizing solid, n.o.s.

DOT Hazard Class: 5.1

DOT I.D. No. UN1479

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 30: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID

EPA Waste Code:

DOT Shipping Name: Sodium nitrate

DOT Hazard Class: 6.1

DOT I.D. No. UN1498

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 36: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID

EPA Waste Code:

DOT Shipping Name: Ferrous chloride, solution

DOT Hazard Class: 6.1

DOT I.D. No. NA1760

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 37: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA Waste Code:

DOT Shipping Name: Hydrochloric acid

DOT Hazard Class: 6.1

DOT I.D. No. UN1789

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 38: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA Waste Code:

DOT Shipping Name: Phosphoric acid solution

DOT Hazard Class: 6.1

DOT I.D. No. UN1805

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 39: ALKALINE SOLID

Waste Description: ALKALINE SOLID

EPA Waste Code:

DOT Shipping Name: Potassium hydroxide, solid

DOT Hazard Class: 6.1

DOT I.D. No. UN1813

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 40: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID

EPA Waste Code:

DOT Shipping Name: Potassium hydroxide, solution

DOT Hazard Class: 8

DOT I.D. No. UN1814

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 41: ALKALINE SOLID

EPA Waste Code:

DOT Shipping Name: Mercury compounds, solid, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN2025

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 47: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED

EPA Waste Code:

DOT Shipping Name: Nitric acid other than red fuming, with not more than 20 percent nitric acid

DOT Hazard Class: 8

DOT I.D. No. UN2031

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 48: WASTE BATTERIES

Waste Description: WASTE BATTERIES

EPA Waste Code:

DOT Shipping Name: Batteries, wet, filled with acid, electric storage

DOT Hazard Class: 8

DOT I.D. No. UN2794

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 49: WASTE BATTERIES

Waste Description: WASTE BATTERIES

EPA Waste Code:

DOT Shipping Name: Batteries, wet, filled with alkali, electric storage

DOT Hazard Class: 6.1

DOT I.D. No. UN2795

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 50: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic, liquids, organic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN2810

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 51: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID

DOT Shipping Name: Corrosive solids, toxic, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN2923
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 57: ALKALINE SOLID

Waste Description: ALKALINE SOLID
EPA Waste Code:
DOT Shipping Name: Corrosive solids, toxic, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN2923
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 58: WASTE BATTERIES

Waste Description: WASTE BATTERIES
EPA Waste Code:
DOT Shipping Name: Batteries, dry, containing potassium hydroxide solid, electric,
storage
DOT Hazard Class: 8
DOT I.D. No. UN3028
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 59: ACID SOLID

Waste Description: ACID SOLID
EPA Waste Code:
DOT Shipping Name: Corrosive solids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3084
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 60: CHROMIC ACID SOLID

Waste Description: CHROMIC ACID SOLID
EPA Waste Code:
DOT Shipping Name: Corrosive solids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3084
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 61: ALKALINE CHROME SOLID

Waste Description: ALKALINE CHROME SOLID
EPA Waste Code:

DOT Hazard Class: 9
DOT I.D. No. UN3087
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 67: WASTE BATTERIES

Waste Description: WASTE BATTERIES
EPA Waste Code:
DOT Shipping Name: Lithium battery
DOT Hazard Class: 8
DOT I.D. No. UN3090
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 68: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED
EPA Waste Code:
DOT Shipping Name: Corrosive liquids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3093
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 69: CHROMIC ACID LIQUID

Waste Description: CHROMIC ACID LIQUID
EPA Waste Code:
DOT Shipping Name: Corrosive liquids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3093
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 70: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID
EPA Waste Code:
DOT Shipping Name: Corrosive liquids, oxidizing, n.o.s.
DOT Hazard Class: 8
DOT I.D. No. UN3093
Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 71: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID
EPA Waste Code:
DOT Shipping Name: Corrosive liquids, oxidizing, n.o.s.
DOT Hazard Class: 5.1

Total Volume to be Exported: 250 US Tons - (2,000 pounds)
Estimated Frequency: 40 loads Annually

Waste Stream 77: ACID SOLID

Waste Description: ACID SOLID

EPA Waste Code:

DOT Shipping Name: Solids containing corrosive liquid, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3244

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 78: ALKALINE SOLID

Waste Description: ALKALINE SOLID

EPA Waste Code:

DOT Shipping Name: Solids containing corrosive liquid, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3244

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 79: ACID SOLID

Waste Description: ACID SOLID

EPA Waste Code:

DOT Shipping Name: Corrosive solid, acidic, inorganic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3260

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 80: CHROMIC ACID SOLID

Waste Description: CHROMIC ACID SOLID

EPA Waste Code:

DOT Shipping Name: Corrosive solid, acidic, inorganic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3260

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 81: ALKALINE SOLID

Waste Description: ALKALINE SOLID

EPA Waste Code:

DOT Shipping Name: Corrosive solid, basic, inorganic, n.o.s.

DOT Hazard Class: 8

DOT I.D. No. UN3262

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Waste Stream 87: CYANIDE LIQUID

Waste Description: CYANIDE LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic liquid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3287

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 88: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic liquid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3287

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 89: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic liquid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3287

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 90: MERCURY LIQUID

Waste Description: MERCURY LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic liquid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3287

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 91: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic liquid, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3287

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Description: MERCURY LIQUID

EPA Waste Code:

DOT Shipping Name: Toxic liquid, corrosive, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3289

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 98: CYANIDE SOLID

Waste Description: CYANIDE SOLID

EPA Waste Code:

DOT Shipping Name: Toxic solid, corrosive, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3290

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

Waste Stream 99: MERCURY SOLID

Waste Description: MERCURY SOLID

EPA Waste Code:

DOT Shipping Name: Toxic solid, corrosive, inorganic, n.o.s.

DOT Hazard Class: 6.1

DOT I.D. No. UN3290

Total Volume to be Exported: 250 US Tons - (2,000 pounds)

Estimated Frequency: 40 loads Annually

You may ship this waste to the following receiving facility/foreign importer:

STABLEX CANADA INC.
760 BOULEVARD INDUSTRIEL,
BLAINVILLE, QC, CA

Shipments may occur during the period from April 28, 2011, to April 26, 2012.

Please be advised of the following special RCRA requirements for export shipments of hazardous waste. These requirements are found at Title 40 Code of Federal Regulations, Part 262, Subpart E - Exports of Hazardous Waste.

1. If the major terms of the original notice should change, you must renotify EPA. Please send your renotification to: Environmental Protection Agency, Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Ariel Rios Building, 1200 Pennsylvania Avenue, N.W., Washington D.C. 20460, "Attention: Notification to Export" prominently displayed on the front of the envelope.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

March 11, 2010

OFFICE OF
ENFORCEMENT AND
COMPLIANCE ASSURANCE

EPA Notice No.:008/10

CHRIS RANDER
CHEMICAL SOLVENTS, INC.
1010 DENISON AVE.
CLEVELAND, OH 44109

EPA I.D. No.: OHD980897656

Dear CHRIS RANDER:

This is to acknowledge receipt of your notice, dated January 06, 2010, of intent to export hazardous waste to Canada as required by Title 40, Code of Federal Regulations, Part 262, Subpart E, Section 262.53 promulgated pursuant to the Resource Conservation and Recovery Act (RCRA). In accordance with the U.S.-Canada Bilateral Agreement on the Transboundary Movement of Hazardous Waste, the U.S. Environmental Protection Agency (EPA) forwarded your notice to the Government of Canada and Canada has no objection to your shipment(s) of hazardous waste.

This letter constitutes the EPA Acknowledgment of Consent for the export of the following hazardous waste as specified in your notice:

Waste Stream 1: CONTAMINATED SOIL/ALKALINE CHROME SOLID

Waste Description: CONTAMINATED SOIL/ALKALINE CHROME SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 2250 Tons
Estimated Frequency: 180 loads per Year

Waste Stream 6: CONTAMINATED SOIL/NEUTRAL SOLID

Waste Description: CONTAMINATED SOIL/NEUTRAL SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 2250 Tons
Estimated Frequency: 180 loads per Year

Waste Stream 7: CONTAMINATED SOIL/NEUTRAL SOLID

Waste Description: CONTAMINATED SOIL/NEUTRAL SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 2250 Tons
Estimated Frequency: 180 loads per Year

Waste Stream 8: CONTAMINATED SOIL/NEUTRAL SOLID

Waste Description: CONTAMINATED SOIL/NEUTRAL SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 2250 Tons
Estimated Frequency: 180 loads per Year

Waste Stream 9: CONTAMINATED SOIL/NEUTRAL SOLID

Waste Description: CONTAMINATED SOIL/NEUTRAL SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
DOT Hazard Class: 9
DOT I.D. No. UN3077
Total Volume to be Exported: 2250 Tons
Estimated Frequency: 180 loads per Year

Waste Stream 14: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
DOT Hazard Class: 9
DOT I.D. No. UN3082
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 15: MERCURY LIQUID

Waste Description: MERCURY LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
DOT Hazard Class: 9
DOT I.D. No. UN3082
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 16: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
DOT Hazard Class: 9
DOT I.D. No. UN3082
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 17: NEUTRAL LIQUID

Waste Description: NEUTRAL LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
DOT Hazard Class: 9
DOT I.D. No. UN3082
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 22: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE SODIUM NITRATE
DOT Hazard Class: 5.1
DOT I.D. No. UN1498
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 23: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE SODIUM NITRITE
DOT Hazard Class: 5.1
DOT I.D. No. UN1500
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 24: CYANIDE SOLID

Waste Description: CYANIDE SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE CYANIDES, INORGANIC, SOLID, N.O.S.
DOT Hazard Class: 6.1
DOT I.D. No. UN1588
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 25: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE CAUSTIC ALKALI LIQUID, N.O.S.
DOT Hazard Class: 8
DOT I.D. No. UN1719
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 30: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE PHOSPHORIC ACID, SOLUTION
DOT Hazard Class: 8
DOT I.D. No. UN1805
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 31: ALKALINE SOLID

Waste Description: ALKALINE SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE POTASSIUM HYDROXIDE, SOLID
DOT Hazard Class: 8
DOT I.D. No. UN1813
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 32: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE POTASSIUM HYDROXIDE SOLUTION
DOT Hazard Class: 8
DOT I.D. No. UN1814
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 33: ALKALINE SOLID

Waste Description: ALKALINE SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE SODIUM HYDROXIDE, SOLID
DOT Hazard Class: 8
DOT I.D. No. UN1823
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 38: MERCURY SOLID

Waste Description: MERCURY SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE MERCURY COMPOUND, SOLID, N.O.S.
DOT Hazard Class: 6.1
DOT I.D. No. UN2025
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 39: ACID LIQUID MIXED

Waste Description: ACID LIQUID MIXED
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE NITRIC ACID, other than red fuming, with more than 70% nitric acid
DOT Hazard Class: 8
DOT I.D. No. UN2031
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 40: WASTE BATTERIES

Waste Description: WASTE BATTERIES
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE BATTERIES, WET, FILLED WITH ACID, electric storage
DOT Hazard Class: 8
DOT I.D. No. UN2794
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 41: WASTE BATTERIES

Waste Description: WASTE BATTERIES
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE BATTERIES, WET, FILLED WITH ALKALI, electric storage
DOT Hazard Class: 8
DOT I.D. No. UN2795
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 46: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE CORROSIVE LIQUID, TOXIC, N.O.S.
DOT Hazard Class: 8
DOT I.D. No. UN2922
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 47: MERCURY LIQUID

Waste Description: MERCURY LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE CORROSIVE LIQUID, TOXIC, N.O.S.
DOT Hazard Class: 8
DOT I.D. No. UN2922
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 48: ACID SOLID

Waste Description: ACID SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE CORROSIVE SOLID, TOXIC, N.O.S.
DOT Hazard Class: 8
DOT I.D. No. UN2923
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 49: ALKALINE SOLID

Waste Description: ALKALINE SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE CORROSIVE SOLID, TOXIC, N.O.S.
DOT Hazard Class: 8
DOT I.D. No. UN2923
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 54: ALKALINE SOLID

Waste Description: ALKALINE SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE CORROSIVE SOLID, OXIDIZING, N.O.S.
DOT Hazard Class: 8
DOT I.D. No. UN3084
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 55: CHROMIC ACID SOLID

Waste Description: CHROMIC ACID SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE OXIDIZING SOLID, CORROSIVE, N.O.S.
DOT Hazard Class: 5.1
DOT I.D. No. UN3085
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 56: ALKALINE CHROME SOLID

Waste Description: ALKALINE CHROME SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE OXIDIZING SOLID, CORROSIVE, N.O.S.
DOT Hazard Class: 5.1
DOT I.D. No. UN3085
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 57: OXIDIZER SOLID

Waste Description: OXIDIZER SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE OXIDIZING SOLID, CORROSIVE, N.O.S.
DOT Hazard Class: 5.1
DOT I.D. No. UN3085
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 62: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE CORROSIVE LIQUID, OXIDIZING, N.O.S.
DOT Hazard Class: 8
DOT I.D. No. UN3093
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 63: ALKALINE LIQUID

Waste Description: ALKALINE LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE CORROSIVE LIQUID, OXIDIZING, N.O.S.
DOT Hazard Class: 8
DOT I.D. No. UN3093
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 64: CHROMIC ACID LIQUID

Waste Description: CHROMIC ACID LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE OXIDIZING LIQUID, CORROSIVE, N.O.S.
DOT Hazard Class: 5.1
DOT I.D. No. UN3098
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 65: OXIDIZER LIQUID

Waste Description: OXIDIZER LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE OXIDIZING LIQUID, CORROSIVE, N.O.S.
DOT Hazard Class: 5.1
DOT I.D. No. UN3098
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 70: ALKALINE SOLID

Waste Description: ALKALINE SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S.
DOT Hazard Class: 8
DOT I.D. No. UN3244
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 71: ACID SOLID

Waste Description: ACID SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
DOT Hazard Class: 8
DOT I.D. No. UN3260
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 72: CHROMIC ACID SOLID

Waste Description: CHROMIC ACID SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.
DOT Hazard Class: 8
DOT I.D. No. UN3260
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 73: ALKALINE SOLID

Waste Description: ALKALINE SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
DOT Hazard Class: 8
DOT I.D. No. UN3262
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 78: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.
DOT Hazard Class: 8
DOT I.D. No. UN3266
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 79: CYANIDE LIQUID

Waste Description: CYANIDE LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE TOXIC LIQUID, INORGANIC, N.O.S.
DOT Hazard Class: 6.1
DOT I.D. No. UN3287
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 80: ALKALINE CHROME LIQUID

Waste Description: ALKALINE CHROME LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE TOXIC LIQUID, INORGANIC, N.O.S.
DOT Hazard Class: 6.1
DOT I.D. No. UN3287
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 81: MERCURY LIQUID

Waste Description: MERCURY LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE TOXIC LIQUID, INORGANIC, N.O.S.
DOT Hazard Class: 6.1
DOT I.D. No. UN3287
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 86: ALKALINE CHROME SOLID

Waste Description: ALKALINE CHROME SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE TOXIC SOLID, INORGANIC, N.O.S.
DOT Hazard Class: 6.1
DOT I.D. No. UN3288
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 87: NEUTRAL SOLID

Waste Description: NEUTRAL SOLID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE TOXIC SOLID, INORGANIC, N.O.S.
DOT Hazard Class: 6.1
DOT I.D. No. UN3288
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 88: CYANIDE LIQUID

Waste Description: CYANIDE LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.
DOT Hazard Class: 6.1
DOT I.D. No. UN3289
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

Waste Stream 89: MERCURY LIQUID

Waste Description: MERCURY LIQUID
EPA Waste Code: SEE ATTACHMENT
DOT Shipping Name: WASTE TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.
DOT Hazard Class: 6.1
DOT I.D. No. UN3289
Total Volume to be Exported: 250 Tons
Estimated Frequency: 40 loads per Year

YOUR NOTIFICATION OF INTENT TO EXPORT ON WHICH THIS CONSENT IS BASED LISTED NUMEROUS EPA WASTE NUMBERS (SEE ATTACHMENT A). THIS ATTACHMENT IS INCORPORATED INTO THIS CONSENT BY REFERENCE AND MUST BE ATTACHED TO THE CONSENT COPY ACCOMPANYING EACH SHIPMENT. ONLY WASTES WITH EPA CODES INCLUDED IN THE NOTICE OF INTENT TO EXPORT AND SPECIFICALLY CONSENTED TO BY CANADA MAY BE EXPORTED.

You are also reminded of the following **special RCRA requirements for export shipments of hazardous waste**. Specific details of these requirements are contained in Title 40 of the Code of Federal Regulations, Part 262, Subpart E.

1. If the major terms of the original notice of intent to export on which this consent is based should change, you must renotify EPA. Please mail your renotification to: USEPA, Ariel Rios Building, Mail Code 2254A, 1200 Pennsylvania Avenue, NW, Washington, D.C. 20460, with "ATTENTION: INTERNATIONAL COMPLIANCE ASSURANCE DIVISION" prominently displayed on the front of the envelope. (262.53(c)) Alternately, notices may be sent by courier to the same office at the Ariel Rios Building, Room 6144, 1200 Pennsylvania Avenue, NW, Washington, DC 20004.
2. The Uniform Hazardous Waste Manifest Form for each shipment must identify the point of departure from the United States in Item 15, Special Handling Instructions. (262.54(c))
3. The following statement must be added to the end of the first sentence of the certification set forth in Item 16 of the Uniform Hazardous Waste Manifest Form: "and conforms to the terms of the attached EPA Acknowledgment of Consent". (262.54(d))
4. A copy of this Acknowledgment of Consent must be attached to the U.S. hazardous waste manifest that accompanies each shipment of hazardous waste. (262.54(h))
5. You must provide the waste transporter with an additional copy of the U.S. hazardous waste manifest accompanying the shipment for delivery to a U.S. Customs official at the point the hazardous waste leaves the United States in accordance with 263.20(g)(4) and (262.54(i)).
6. You must file an **exception report** with the USEPA, Ariel Rios Building, Mail Code 2254A, 1200 Pennsylvania Avenue, NW, Washington, DC 20460, ATTN: INTERNATIONAL COMPLIANCE ASSURANCE DIVISION, if you have not received a copy of the manifest signed by the transporter stating the date and place of departure from the U.S. within forty five (45) days from the date it was accepted by the initial transporter; if within ninety (90) days from the date the waste was accepted by the initial transporter, the primary exporter has not received written confirmation from the consignee that the hazardous waste was received; or if the waste is returned to the United States. (262.55). Alternately, exception reports may be sent by courier to the same office at the Ariel Rios Building, Room 6144, 1200 Pennsylvania Avenue, NW, Washington, DC 20004.

ATTACHMENT 1POSSIBLE EPA WASTE CODES

D001* I002*

*APPROPRIATE SHIPPING DESCRIPTIONS ONLY

D004	I005	D006	D007	D008	D009
D010	I011	D012	D013	D014	D015
D016	I017	D018	D019	D020	D021
D022	I023	D024	D025	D026	D027
D028	I029	D030	D031	D032	D033
D034	I035	D036	D037	D038	D039
D040	I041	D042	D043		
F001	F002	F003	F004	F005	F024
F025	F037	F038	F039		
K009	K010	K015	K016	K017	K018
K019	K025	K026	K028	K029	K030
K048	K049	K050	K051	K052	K085
K086	K095	K096	K104	K111	
P205					
U002	U007	U009	U028	U031	U041
U044	U052	U056	U057	U069	U070
U071	U072	U075	U076	U077	U080
U088	U112	U113	U116	U123	U140
U154	U159	U161	U165	U190	U210
U211	U213	U220	U223	U226	U228
U239	U244	U359			

Additional waste description for Streams #1-9:

DOT: NA3077 Class: 9 Packaging Group: III
 RQ Hazardous waste, solid, N.O.S. (...)

TGD: N/A Class: N/A Packaging Group: N/A
 ENVIRONMENTALLY HAZARDOUS WASTE (...)

Additional waste description for Streams #10-19:

DOT: NA3082 Class: 9 Packaging Group: III
 RQ Hazardous waste, liquid, N.O.S. (...)

TGD: N/A Class: N/A Packaging Group: N/A
 ENVIRONMENTALLY HAZARDOUS WASTE (...)